

Heavy-Duty Galvanized Steel Folding Gates



Door Gate



Pair Gate

Access Control and Security Without Sacrificing Visibility or Air Circulation



Single Gate

Pair Folding Gate

☐ Galvanized finish. ☐ Steel U-channel webbing riveted back to back with aircraft quality aluminum rivets. ☐ 1-1/2" x 1-1/2" vertical member angles. ☐ Solid steel casters. ☐ Padlock order separately. ☐ Gates loose 6" in height when extended.

Stock No.	Width Ft.	Collapsed Height	In Use Height	Weight (Lbs.)
PFG865	6-8'	6'6"	6'	96
PFG870		7'	6'6"	104
PFG875		7'6"	7'	110
PFG880		8'	7'6"	112
PFG885		8'6"	8'	130
PFG1065	8-10'	6'6"	6'	104
PFG1070		7'	6'6"	110
PFG1075		7'6"	7'	120
PFG1080		8'	7'6"	132
PFG1085		8'6"	8'	148
PFG1265	10-12'	6'6"	6'	112
PFG1270		7'	6'6"	116
PFG1275		7'6"	7'	122
PFG1280		8'	7'6"	152
PFG1285		8'6"	8'	158
PFG1465	12-14'	6'6"	6'	128
PFG1470		7'	6'6"	138
PFG1475		7'6"	7'	140
PFG1480		8'	7'6"	164
PFG1485		8'6"	8'	174
PFG1665	14-16'	6'6"	6'	140
PFG1670		7'	6'6"	164
PFG1675		7'6"	7'	166
PFG1680		8'	7'6"	180
PFG1685		8'6"	8'	196
PFG1865	16-18'	6'6"	6'	160
PFG1870		7'	6'6"	170
PFG1875		7'6"	7'	180
PFG1880		8'	7'6"	186
PFG1885		8'6"	8'	190
PFG2065	18-20'	6'6"	6'	178
PFG2070		7'	6'6"	180
PFG2075		7'6"	7'	185
PFG2080		8'	7'6"	192
PFG2085		8'6"	8'	197
With Axles:				
PFG2270	20-22'	7'	6'6"	210
PFG2280		8'	7'6"	220
With Axles:				
PFG2470	22-24'	7'	6'6"	230
PFG2480		8'	7'6"	240

Single Folding Gate

☐ Galvanized finish. ☐ Steel U-channel webbing riveted back to back with aircraft quality aluminum rivets. ☐ 1-1/2" x 1-1/2" vertical member angles. ☐ Solid steel casters. ☐ Locks on the right standard, locking on the left available. ☐ Locking bar included, padlock order separately. ☐ Gates loose 6" in height when extended.

Stock No.	Width Ft.	Collapsed Height	In Use Height	Weight (Lbs.)
SSG465	3-4'	6'6"	6'	58
SSG470		7'	6'6"	61
SSG475		7'6"	7'	64
SSG480		8'	7'6"	67
SSG485		8'6"	8'	70
SSG565	4-5'	6'6"	6'	61
SSG570		7'	6'6"	62
SSG575		7'6"	7'	65
SSG580		8'	7'6"	67
SSG585		8'6"	8'	69
SSG665	5-6'	6'6"	6'	64
SSG670		7'	6'6"	66
SSG675		7'6"	7'	68
SSG680		8'	7'6"	70
SSG685		8'6"	8'	72
SSG765	6-7'	6'6"	6'	69
SSG770		7'	6'6"	71
SSG775		7'6"	7'	73
SSG780		8'	7'6"	75
SSG785		8'6"	8'	77
SSG865	7-8'	6'6"	6'	74
SSG870		7'	6'6"	77
SSG875		7'6"	7'	80
SSG880		8'	7'6"	83
SSG885		8'6"	8'	87
SSG965	8-9'	6'6"	6'	80
SSG970		7'	6'6"	85
SSG975		7'6"	7'	87
SSG980		8'	7'6"	89
SSG985		8'6"	8'	94
SSG1065	9-10'	6'6"	6'	88
SSG1070		7'	6'6"	91
SSG1075		7'6"	7'	92
SSG1080		8'	7'6"	94
SSG1085		8'6"	8'	97
SSG1165	10-11'	6'6"	6'	95
SSG1170		7'	6'6"	100
SSG1175		7'6"	7'	105
SSG1180		8'	7'6"	110
SSG1185		8'6"	8'	115
With Axles:				
SSG1265	11-12'	6'6"	6'	110
SSG1270		7'	6'6"	120
SSG1275		7'6"	7'	125
SSG1280		8'	7'6"	130
SSG1285		8'6"	8'	140

Door Gate

☐ Galvanized finish. ☐ 3/4" x 3/8" steel U-channel webbing riveted back to back with aircraft quality aluminum rivets. ☐ 1-1/2" x 1-1/2" vertical member angles. ☐ Mount on left or right side, in the casing or on the facing. Locks to wall with padlock hasp, padlock order separately.

Stock No.	Max. H	Max. W	Max. Wght. (Lbs.)	Stock No.	Max. H	Max. W	Max. Wght. (Lbs.)
D-31	31"	48"	16	D-61	61"	48"	32
D-33	33"	48"	18	D-63	63"	48"	34
D-37	37"	48"	20	D-66	66"	48"	35
D-40	40"	48"	22	D-71	71"	48"	45
D-43	43"	48"	23	D-73	73"	48"	44
D-46	46"	48"	24	D-76	76"	48"	47
D-49	49"	48"	25	D-79	79"	48"	49
D-51	51"	48"	26	D-81	81"	48"	50
D-59	59"	48"	28	D-83	83"	48"	52

Other Products



Portable Gates



Barrier Gates



Illinois Engineered Products, Inc. Galvanized Steel Folding Gates can only be ordered through your authorized distributor.

Heavy-Duty Galvanized Steel Portable Gates



Moveable Access Control and Security Rolls Out of Sight When Not in Use




Portable Gate

□ Galvanized finish. □ 3/4" x 3/8" steel U-channel webbing riveted back to back with aircraft quality aluminum rivets. □ 1-1/2" x 1-1/2" vertical member angles. □ 28" axles. □ Gates lock to wall mounted 12" padlock hasp locking bar (2 included), padlock order separately. □ 3" rubber wheels.

Starter Stock No.	Max. Width	Collapsed Height	In Use Height	Weight (Lbs.)
XL1265	Up to 12'	6'6"	6'	135
XL1270	Up to 12'	7'	6'6"	140
XL1275	Up to 12'	7'6"	7'	146
XL1280	Up to 12'	8'	7'6"	172
XL1285	Up to 12'	8'6"	8'	180

Add-on Stock No.	Max. Width	Collapsed Height	In Use Height	Weight (Lbs.)
XL665	adds 6'	6'6"	6'	64
XL670	adds 6'	7'	6'6"	65
XL675	adds 6'	7'6"	7'	70
XL680	adds 6'	8'	7'6"	80
XL685	adds 6'	8'6"	8'	85



Gates extend up to 12 feet and with 6 foot add-ons you can seal off an area of any width. Use a starter gate from 6-12 feet wide, then simply use add-on gates for each additional 6 feet needed.

Other Products



Pair Folding Gates



Single Folding Gates



Door Gates




Barrier Gates



Illinois Engineered Products, Inc. Galvanized Steel Folding Gates can only be ordered through your authorized distributor.

Heavy-Duty Galvanized Steel Barrier Gates



Moveable Access Control and Security Reduce Liability Occurences High Visibility



Barrier Gate

□ Galvanized steel powder coated in high visibility safety yellow and black. □ 3/4" x 3/8" steel U-channel webbing riveted back to back with aircraft quality aluminum rivets. □ 1-1/2" x 1-1/2" vertical member angles. □ Gates can be ordered to combine and lock together. □ 14" axles. □ 3" rubber wheels.

Stock No.	Max. Width	In Use Height	Weight (Lbs.)
XL1240 Starter	up to 12'	48"	90
XL640 Add-on	adds 6'	48"	40



— STARTER — + — ADD-ON — + — ADD-ON —
12 FEET 6 FEET 6 FEET

Gates extend up to 12 feet and with 6 foot add-ons you can seal off an area of any width. Use a XL1240 Starter Gate from 6-12 feet wide, then simply use XL640 Add-on Gates for each additional 6 feet needed.

Other Products



Pair Folding Gates



Single Folding Gates



Door Gates



Portable Gates



Illinois Engineered Products, Inc. Galvanized Steel Folding Gates can only be ordered through your authorized distributor.